ELSEVIER

Journal of Hazardous Materials 53 (1997) 241

JOURNAL OF HAZARDOUS MATERIALS

Author Index Volume 53

Barr, T.L., 57
Berdyuguin, A.G., 195
Biswas, P., 19
Boon, C.R., 93
Brenner, R.C., 19
Brouwers, H.J.H., 1

Chen, C.-H., 75
Cleaver, R.P., 35

Deaves, D.M., 93
Duh, Y.-S., 183
Dural, N.H., 75
Dushin, V.R., 195

Erickson, L.E., 115
Evans, P.H., 57

Fan, L.T., 115

Gilham, S., 93

Herbich, J.B., 141
Hossner, L.R., 141
Hoxey, R.P., 93
Hsu, C.-C., 183
Humphreys, C.E., 35
Hwang, D.-R., 183

Kao, C.-S., 183
Klinowski, J., 57
Korfiatis, G.P., 165
Krezoski, S., 57

Lai, Y.D., 213
Lee, C., 183
Liu, J.C., 213

Mercer, A., 93
Mohan, R.K., 141
Morgan, J.D., 35

Pal, N., 165
Panfilov, I.I., 195
Patel, V., 165
Petering, D.H., 57
Presnyakov, Yu.P., 195

Robinson, C.G., 35

Santharam, S.K., 115
Seal, S., 57
Smirnov, N.N., 195
Smith, F.L., 19
Sorial, G.A., 19
Suidan, M.T., 19

Tyurnikov, M.V., 195

Williams, F.S., 141

ELSEVIER

Journal of Hazardous Materials 53 (1997) 243

JOURNAL OF HAZARDOUS MATERIALS

Subject Index Volume 53

Adsorption, 75

Bauxite residue, 141
Biocells, 57
Biodegradation, 115
Biofilter, 19
Biological treatment, 165

Capping, 141
CFD, 93
Chemical incompatibility, 183
Chemically active gas mixture, 195
Chemical transport, 141
Combustion, 195
Contaminant, 115

Decontamination, 165
Detonation transition, 195
Dredged material, 141

EBRT, 19
ESCA, 57

Fiberous asbestos, 57
Fractionation, 213

Gas build-up, 93
Granular material, 1

pH, 213

Immersed material, 1

Landfills, reclamation, 141
Leaching, 213
Leaching model, 1
Loading, 19

Major hazards, 35
Model, 115
Modeling, 141

Nickel, 213
Nitrocompound, 183
Non-aqueous phase, 115

Overpressure, 35
Peat, 19
Pentachlorophenol, 165
Phanerochaete chrysosporium, 165
Pilot-scale, 19
Pyrene, 115

Redox potential, 213
Removal efficiency, 19
Revegetation, 141

Safety, 35
Simple zone modelling, 93
Soil, 75
Solid waste, 141
Sonication, 165
Spent catalyst, 213
Stabilization/solidification, 1
Surface chemical interaction, 57
Surfactants, 115

Temperature, 19
Toluene, 19
Treated wood, 165
1,1,1-Trichloroethane, 75

Vanadium, 213
Vapor, 75
Vapour cloud explosions, 35
Vegetation, 115
Volatile organic pollutant, 75